Deploying iOS Devices with Apple Configurator and the Casper Suite

Technical Paper Casper Suite v9.1 or Later 17 September 2013





JAMF Software, LLC © 2013 JAMF Software, LLC. All rights reserved.

JAMF Software has made all efforts to ensure that this guide is accurate.

JAMF Software 301 4th Ave. South Suite 1075 Minneapolis, MN 55415 (612) 605-6625

Apple, Apple Configurator, the Apple logo, Apple TV, iTunes, and Mac OS X are a trademark of Apple Inc., registered in the U.S. and other countries.

iOS is a trademark or registered trademark of Cisco in the U.S. and other countries.

JAMF Software, the JAMF Software logo, the Casper Suite, and the JAMF Software Server (JSS) are trademarks of JAMF Software, LLC, registered in the U.S. and other countries.

All other product and service names mentioned are the trademarks of their respective companies.

Contents

Page 4	Introduction What's in This Guide Additional Resources
Page 5	Overview
Page 6	Requirements
Page 7	Preparing for Enrollment Step 1: (Optional) Create a Device Backup Step 2: Create a Wi-Fi Configuration Profile Step 3: Create and Download an Enrollment Profile and Trust Profile Step 4: Import the Enrollment Profile and Trust Profile to Apple Configurator Step 5: (Optional) Add Apps to Apple Configurator

Page 15 Enrolling Devices

Introduction

What's in This Guide

This guide provides step-by-step instructions on how to use Apple Configurator and the Casper Suite to deploy iOS devices.

Additional Resources

For more information on mobile device management with the Casper Suite, including enrollment, configuration, security management, and distribution, see the *Casper Suite Administrator's Guide*, available at:

http://www.jamfsoftware.com/product-documentation/administrators-guides

For more information on Apple Configurator, see the following Apple articles:

- Apple Configurator: Using Volume Purchase Program (VPP) Redemption Codes <u>http://support.apple.com/kb/HT5188</u>
- Apple Configurator Help
 <u>http://help.apple.com/configurator/mac/</u>

Overview

This guide explains how to deploy iOS devices using Apple Configurator and the Casper Suite. This deployment method allows you to connect devices to a computer and enroll them with the JAMF Software Server (JSS) by installing profiles on the devices using Apple Configurator. You can also set up Apple Configurator to install apps and restore a backup on a device as it is being enrolled. Once devices are enrolled, they can be managed remotely using the Casper Suite.

Deploying devices using the instructions in this guide will result in supervised devices. Supervision allows you to install profiles and apps on devices without touching them. It also prevents devices from being synched with iTunes on another computer or being used with Apple Configurator on another computer.

For more information on supervision, see Apple's documentation at: <u>http://help.apple.com/configurator/mac/1.0/#cadee170260</u>

Requirements

To deploy iOS devices using the instructions in this guide, you need:

- The JSS v9.1 or later
- iPads, iPhones, or iPod touches with iOS 6 or later, or Apple TV devices with iOS 7 or later
- A computer with:
 - OS X v10.8.4 or later
 - iTunes 11.0.2 or later
 - Apple Configurator 1.3 or later

Preparing for Enrollment

Before you can enroll devices with the JSS using Apple Configurator, you need to do the following:

- 1. (Optional) Create a device backup using Apple Configurator.
- 2. Create a Wi-Fi configuration profile using Apple Configurator.
- 3. Create and download an enrollment profile and Trust Profile using the JSS.
- 4. Import the enrollment profile and Trust Profile to Apple Configurator.
- 5. (Optional) Add apps to Apple Configurator.

Step 1: (Optional) Create a Device Backup

Create a backup that can be restored on devices when you enroll them. This allows you to bypass the initial device setup process.

- 1. Open Apple Configurator.
- 2. Click **Prepare** in the toolbar.
- 3. Click the **Settings** tab.



- 4. Connect the device to a USB port on the computer.
- 5. If desired, enter a name for the devices.

Warning: When you prepare a device with supervision turned on, Apple Configurator performs a software restore on the device.

	Settings Apps	
Name:	Factory Default	
	Number sequentially starting at 1	
Supervision:		
	Supervised devices can only be configured by Apple Configurator on this Mac.	
Update iOS:	When update is available \$	
	✓ Erase before installing	
Restore:	Don't restore backup \$	
Profiles:		
	No Profiles Citck + to add a profile	
	™ + - Ľ\$	

- 7. Click **Prepare** at the bottom of the window.
- 8. If prompted, click **Apply**.
- 9. When Apple Configurator finishes preparing the device, click the **Stop** button at the bottom of the window.

Do not disconnect the device.



10. On the device, use the Setup Assistant to complete the setup process, configuring settings as needed.

11. In Apple Configurator, click the **Supervise** tab and select the connected device in the list of devices.

JPERVISED DEVICES	ll iPads (1)			Settings Apps	
All Devices	ad GB iPad	-	Name:	iPad	
obb connected	001100		Update iOS:	When update is available	• •
			Restore:	Don't restore backup	\$
			Lock to App:	None	\$
			Profiles:		
-				No Profiles Click + to add a profile	

12. From the menu bar, choose **Devices** > **Back Up**.

A backup named after the device is created. The backup is available from the **Restore** pop-up menu on the **Prepare** tab when supervision is turned on. It is also available from the **Restore** pop-up menu on the **Supervise** tab.

Step 2: Create a Wi-Fi Configuration Profile

To enroll devices with the JSS, they must have access to a wireless network connection. Use Apple Configurator to create a configuration profile with a Wi-Fi payload that you can install on devices when you enroll them.

- 1. Open Apple Configurator.
- 2. Click **Prepare** in the toolbar.
- 3. Click the **Settings** tab.

Settings Apps	
Name: Factory Default	
Number sequentially starting at 1	
Supervision: UP= Supervised devices can only be configured by Apple Configurator on this Mac.	
Update iOS: When update is available +	
✓ Erase before installing	
Restore: Don't restore backup \$	
Profiles: Install Profiles	
Profiles can be installed on only one	
unaupervised device at a uniter	

	Prepare Supervise Assign	
	Settings Apps	
Name:	JAMF	
	Number sequentially starting at 1	
Supervision:	ON	
	Supervised devices can only be configured by Apple Configurator on this Mac.	
Update iOS:	When update is available	•
	✓ Erase before installing	
Restore:	Don't restore backup	•
Profiles:		
	No Profiles Click + to add a profile	
	© + - ₽	
	(J)	
	Prepare	

- 5. Click Add Profile (+) below the Profiles list and choose Create New Profile.
- 6. Enter a name for the profile.

General	
Mandatory	General
Passcode Not configured	Name
Restrictions	Display name of the profile (shown on the device) [required]
Global HTTP Proxy	Organization Name of the organization for the profile
Not configured	[optional]
The second secon	Description Brief explanation of the contents or purpose of the profile
Not configured	[optional]
Mail Not configured	
Exchange ActiveSync	Consent Message A message that will be displayed during profile installation
Not configured	[optional]
Not configured	
Calendar	
1 validation error	Cancel

- 7. Select the Wi-Fi payload and click **Configure**.
- 8. Configure the payload as needed.

For detailed information about the settings in the Wi-Fi payload, see the following documentation from Apple:

A standardy A	Wi-Fi Metadation of the software software to use out provide the software software to use out provide the software software software software to use out provide the software software software to use out provide the software		
	(a)	Cancel Save	

http://help.apple.com/configurator/mac/1.3/#cadbf9e6ff

9. Click Save.

Step 3: Create and Download an Enrollment Profile and Trust Profile

Use the JSS to create an enrollment profile. When you create an enrollment profile for use with Apple Configurator, the JSS automatically creates an associated Trust Profile. You can then download both profiles from the JSS so that you can import them to Apple Configurator in the next step.

- 1. Log in to the JSS with a web browser.
- 2. Click **Mobile Devices** at the top of the page.
- 3. Click Enrollment Profiles.

On a smartphone, this option is in the pop-up menu.

4. Click **New +**.

 Use the General pane to configure basic settings for the enrollment profile, including a display name. The display name that you enter is used as the filename for the enrollment profile.
 Ensure that the Create profile for use with iPCU checkbox is not selected.

General	User and Location Information	Purchasing Information	Attachments
Display Display r	Name name for the enrollment profile		
Site Mobile d	evices enrolled using the profile are ad	ded to this site	
Display a	lay removal notification in inventory a notification in inventory when the pro	file is removed from a mobile o	device
Descript	lion		
Create th on mobil	te profile for use with iPCU e enrollment profile for use with Apple le devices with iOS 6 or earlier	's iPhone Configuration Utility.	This option should only be used if you plan to use IPCU to install the profile
			Cancel Save

6. (Optional) Click the **User and Location Information** tab and specify user and location information for the devices.

General	User and Location Information	Purchasing Information	Attachments		
User and	d Location Information I location information to use for mobile	e devices enrolled with the profi	le		_
Usernan	ne				
Full Nan	ne				
Email Ad	ddress				
Phone N	lumber				
Departm	nent				
None	tent to add the mobile device to				
Building	to add the mobile device to				
Room					
Position					
				Cancel	Save

7. (Optional) Click the **Purchasing Information** tab and specify purchasing information for the devices.

General	User and Location Information	Purchasing Information	Attachments		
Purchasi	ng Information				
Purchasir	g information to use for mobile devic	es enrolled with the profile			
Purchase	d or Leased				
	Charles Number				
	order Humber				
Purchase	Order Date				
:	/ : / :)				
Vendor					
Warranty	Expiration Date				
Date that	the warranty expires				
:	/:/:				
AppleCa	re ID				
Date that	the lease expires				
+	/ ; / ;				
Purchase	Price				
Life Expe	ctancy				
Number	of years the mobile device is expected	to be used			
Rurchasi	na Account				
Account	used to purchase the mobile device				
Purchasi	ng Contact				
Name or	the person associated with the purcha	26			

8. Click Save.

9. Click Download.



On OS X v10.7 or later, you may be prompted to install the profile. Click **Cancel** to decline. The enrollment profile downloads immediately as a .mobileconfig file.

10. Click Trust Profile.

On OS X v10.7 or later, you may be prompted to install the profile. Click **Cancel** to decline. The Trust Profile downloads immediately with the filename Trust Profile.mobileconfig.

Step 4: Import the Enrollment Profile and Trust Profile to Apple Configurator

Import the enrollment profile and Trust Profile to Apple Configurator so that you can install the profiles on devices.

Important: To ensure that devices have access to a wireless network connection during enrollment, you must create the Wi-Fi configuration profile before importing the enrollment profile. See <u>Step 2: Create a Wi-Fi Configuration Profile</u> for complete instructions.

- 1. Open Apple Configurator.
- 2. Click Prepare in the toolbar.
- 3. Click the **Settings** tab.

Prepare Supervise Assign	
Settings Apps	
Name: Factory Default	
Number sequentially starting at 1	
Supervision: OFF	
Supervised devices can only be configured by Apple Configurator on this Mac.	
Update iOS: When update is available 🗘	
Erase before installing	
Restore: Don't restore backup \$	
Profiles: Install Profiles	
Profiles can be installed on only one	
unsupervised device at a time.	
(a)	

	Settings Apps	
Name:	Factory Default	
	Number sequentially starting at 1	
Supervision:	ON	
	Supervised devices can only be configured by Apple Configurator on this Mac.	
Update iOS:	When update is available	\$
	✓ Erase before installing	
Restore:	Don't restore backup	\$
Profiles:		
	No Profiles Click + to add a profile	
	后 + - 12	

- 5. Click Add Profile (+) below the Profiles list and choose Import Profile.
- 6. Select the Trust Profile (Trust Profile.mobileconfig) you previously downloaded from the JSS, and click **Open**.

The Trust Profile displays in the Profiles list with a name that identifies it as the CA certificate profile.

- 7. Click Add Profile (+) again and choose Import Profile.
- 8. Select the enrollment profile (.mobileconfig) you previously downloaded from the JSS, and click **Open**.

The enrollment profile displays in the Profiles list with a name that identifies it as the MDM profile.

Step 5: (Optional) Add Apps to Apple Configurator

If you want to install apps as devices are enrolled, add the apps to Apple Configurator by following the instructions at:

http://help.apple.com/configurator/mac/#cadf4ed4b2

To install apps during enrollment, the apps must be free or you must have VPP redemption codes for them.

You can also use the Casper Suite to distribute apps once the devices are enrolled. For more information, see the *Casper Suite Administrator's Guide*.

Enrolling Devices

To enroll devices with the JSS using Apple Configurator, you need to set up Apple Configurator to install the Wi-Fi configuration profile, the enrollment profile, the Trust Profile, and any desired apps. Then you can connect one or more devices to the computer and install the specified components.

- 1. Open Apple Configurator.
- 2. Click **Prepare** in the toolbar.
- 3. Click the **Settings** tab.



4. If desired, enter a name for the device in the Name field.

If you are enrolling more than one device, select the **Number sequentially starting at 1** checkbox. Sequential numbers are appended to the device names.

Warning: When you prepare a device with supervision turned on, Apple Configurator performs a software restore on the device.

	Settings Apps	
Na	me: Factory Default	
	Number sequentially starting at 1	
Supervisi	Supervised devices can only be configured by Apple Configurator on this Mac.	
Update i	OS: When update is available \$	
	✓ Erase before installing	
Resto	re: Don't restore backup 🗘	
Profi	es:	
	No Profiles Click + to add a profile	
	® + - 12	

- 6. If you want to restore a backup on devices, choose the backup from the **Restore** pop-up menu.
- 7. In the Profiles list, select the checkbox next to the Wi-Fi configuration profile that you want to install.

_	Settings Anns	
Name:	Factory Default	
	Number sequentially starting at 1	
Supervision:	ON	
	Supervised devices can only be configured by Apple Configurator on this Mac.	
Update iOS:	When update is available	•
	✓ Erase before installing	
Restore:	Don't restore backup	•
Profiles:	📄 🔮 CA Certificate Payload	
	MDM Profile	
	🗹 🔮 Wi-Fi	
	后 + - 23	

- 8. (Optional) If you want to install apps, click the **Apps** tab and select the checkbox next to each app that you want to install.
- 9. Click **Prepare** at the bottom of the window.
- 10. If prompted, click **Apply**.
- 11. Connect devices to the computer to install the specified components and apply the configured settings.

12. When Apple Configurator finishes preparing the device(s), click the **Stop** button at the bottom of the window.

Do not disconnect the device(s).

- 13. Click **Supervise** in the toolbar.
- 14. In the Profiles list, select the checkboxes next to the enrollment profile (CA certificate profile) and the Trust Profile (MDM profile) that you imported.



15. Click **Apply** at the bottom of the window.

After Apple Configurator finishes applying the changes, the devices are enrolled with the JSS.